



Email: wayne@trmarine.com.au

Website: www.trmarine.com.au

4 Curtis Road McGraths Hill NSW 2756



Mercury MerCruiser 6.2L 300HP Inboard

POA

Specifications

Boat Details

PricePOABoat BrandMERCURY MERCRUISERModelMercury MerCruiser 6.2L 300Hl Length0.00Year2021CategoryBoat Engines and Outboards

Hull Style Hull Type

Power Type Stock Number 0
Condition New State New South Wales

Suburb MCGRATHS HILL Engine Make Mercury

Disclaimer



Phone: 02 4577 3522

Marine World

Email: wayne@trmarine.com.au Website: www.trmarine.com.au

4 Curtis Road McGraths Hill NSW 2756

Description

Mercury MerCruiser 6.2L 300HP Inboard - Proven technology, rock-solid reliability and an unbeatable combination of performance and fuel efficiency.

HP / kW

• 300 / 224

Maximum RPM (WOT

• 5000-5400

Displacement (L)

• 6.2

Engine Type

• V8, 2-valve/cylinder pushrod

Bore & Stroke

• 4.0 x 3.75" / 101.6 x 95.25 mm

Fuel Requirement

- 90 RON 10% Ethanol Maximum
- Unleaded Regular 87 Octane Minimum (R+M/2)

Engine Control System

- SmartCraft PCM 112 Digital Inductive
- Standard SmartCraft with DTS

Fuel Delivery System

• Computer controlled Multi-Port Electronic Fuel Injection (MPI)

Starting

- Electric (turn-key)
- Smart Start Electric

Air Induction

• Performance-Tuned Scroll Intake Manifold

Ignition

• SmartCraft PCM 112 Digital Inductive

Alternator amp / Wat

• Fully regulated belt-driven 70 amp (882 watt)

Water Drain System

• Air Actuated "Season Extender"

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: 02 4577 3522

Email: wayne@trmarine.com.au

Website: www.trmarine.com.au

4 Curtis Road McGraths Hill NSW 2756

Exhaust System

• Through transom

Cooling System

• Fresh water cooled (closed cooling)

Lubrication System

• Integrated wet sump

Recommended Oil

• NMMA Certified FCW 25W-40 Synthetic Blend

Engine Guardian System

• SmartCraft Engine Guardian

Gear shift

• F-N-R

Transmission and Ratio

• 63 A: 1.216, 1.5:1, 2.0:1, 2.5:1

• 63 IV: 1.5:1, 2.0:1, 2.5:1

Dimensions (LxWxH) in

• 32 x 30 x 22" / 813 x 762 x 559 mm

Weight (engine only)

•862 lbs / 391 kg

Engine Details

Engine Make Horse Power Mercury 300